

**GROTON**  
**Cancer Incidence by Sex, 1993 - 1997**  
**Expected and Observed Case Counts, with Standardized Incidence Ratios**

	<u>Exp</u>	<u>Obs</u>	<u>SIR</u>		<u>Exp</u>	<u>Obs</u>	<u>SIR</u>
<b><u>Bladder, Urinary</u></b>				<b><u>Melanoma of Skin</u></b>			
Male	4.12	9	218	Male	2.90	3	NC*
Female	1.40	2	NC*	Female	2.25	3	NC*
Total	5.52	11	199	Total	5.15	6	116
<b><u>Brain and Other Central Nervous System</u></b>				<b><u>Multiple Myeloma</u></b>			
Male	1.67	2	NC*	Male	0.81	0	NC*
Female	1.32	1	NC*	Female	0.69	1	NC*
Total	3.00	3	NC*	Total	1.50	1	NC*
<b><u>Breast</u></b>				<b><u>Non-Hodgkin's Lymphoma</u></b>			
Male	0.28	0	NC*	Male	3.78	2	NC*
Female	27.76	20	72	Female	2.88	1	NC*
Total	28.04	20	71	Total	6.66	3	NC*
<b><u>Cervix Uteri</u></b>				<b><u>Oral Cavity and Pharynx</u></b>			
				Male	3.28	2	NC*
Female	1.98	3	NC*	Female	1.36	2	NC*
				Total	4.64	4	NC*
<b><u>Colon / Rectum</u></b>				<b><u>Ovary</u></b>			
Male	10.50	3	NC*				
Female	8.93	10	112	Female	3.42	3	NC*
Total	19.42	13	67				
<b><u>Esophagus</u></b>				<b><u>Pancreas</u></b>			
Male	1.67	2	NC*	Male	1.68	1	NC*
Female	0.45	1	NC*	Female	1.50	1	NC*

Total	2.12	3	NC*	Total	3.18	2	NC*
<b><u>Hodgkin's Disease</u></b>				<b><u>Prostate</u></b>			
Male	0.85	0	NC*	Male	25.74	27	105
Female	0.64	0	NC*				
Total	1.50	0	NC*				
<b><u>Kidney and Renal Pelvis</u></b>				<b><u>Stomach</u></b>			
Male	2.78	3	NC*	Male	1.86	1	NC*
Female	1.47	1	NC*	Female	0.96	0	NC*
Total	4.25	4	NC*	Total	2.82	1	NC*
<b><u>Larynx</u></b>				<b><u>Testis</u></b>			
Male	1.69	0	NC*	Male	1.22	2	NC*
Female	0.45	1	NC*				
Total	2.15	1	NC*				
<b><u>Leukemia</u></b>				<b><u>Thyroid</u></b>			
Male	2.05	2	NC*	Male	0.65	0	NC*
Female	1.44	4	NC*	Female	1.64	2	NC*
Total	3.49	6	172	Total	2.29	2	NC*
<b><u>Liver and Intrahepatic Bile Ducts</u></b>				<b><u>Uteri, Corpus and Uterus, NOS</u></b>			
Male	0.92	0	NC*				
Female	0.32	0	NC*	Female	5.28	4	NC*
Total	1.24	0	NC*				
<b><u>Lung and Bronchus</u></b>				<b><u>All Sites / Types</u></b>			
Male	14.10	4	NC*	Male	88.86	65	73 ~-
Female	10.00	6	60	Female	81.73	70	86
Total	24.10	10	41 ~-	Total	170.59	135	79 ~-

---

**Exp** = expected case count, based on the Massachusetts average age-specific incidence rates for

this cancer

**Obs** = observed case count

**SIR** = standardized incidence ratio [  $(\mathbf{Obs} / \mathbf{Exp}) \times 100$  ]

\* = **SIR** and statistical significance not calculated when **Obs** < 5

+ indicates number of observed cases is statistically significantly higher than the expected number of cases

- indicates number of observed cases is statistically significantly lower than the expected number of cases

# indicates statistical significance at the  $\mathbf{p} \leq 0.05$  level

~ indicates statistical significance at the  $\mathbf{p} \leq 0.01$  level, as well as at the  $\mathbf{p} \leq 0.05$  level

^ indicates statistical significance at the  $\mathbf{p} \leq 0.001$  level, as well as at the  $\mathbf{p} \leq 0.05$  and  $\mathbf{p} \leq 0.01$  levels